| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------|---------|------------------|
| L1 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L2 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L3 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT . | OR | OFF | 2008/01/07 12:39 |
| L4 | . 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L5 | 15 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| ré | 784 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L7 | 358 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L8 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L9 | 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L10 | 13 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L11 | . 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L12 | . 9 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L13 | 158, | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L14 | , 41 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L15 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L16 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L17 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L18 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L19 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| L20 | . 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
|-----|------|---------------------------------------------------------------------------------------------------------|--------------------|------|------|------------------|
| L21 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L22 | 41 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR . | ON | 2008/01/07 12:39 |
| L23 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON · | 2008/01/07 12:39 |
| L24 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR . | ON | 2008/01/07 12:39 |
| L25 | 254 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON | 2008/01/07 12:39 |
| L26 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2008/01/07 12:39 |
| L27 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2008/01/07 12:39 |
| L28 | 344 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L29 | 389 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L30 | 543 | 712/216.ccls. | US-PGPUB; USPAT | OR " | OFF | 2008/01/07 12:39 |
| L31 | 29 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L32 | . 22 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L33 | 9 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L34 | 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L35 | 526 | "address trace" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L36 | 407 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L37 | 55 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L38 | 65 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| L39 | 185 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
|-----|-----|------------------------------------------------------------------------------------------------------------|---------------------|-----|-----|------------------|
| L40 | 118 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L41 | 38 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L42 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L43 | 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L44 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L45 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L46 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L47 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L48 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L49 | 60 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L50 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L51 | 129 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L52 | 70 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L53 | 18 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT. | OR | ON | 2008/01/07 12:39 |
| L54 | 451 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L55 | 35 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L56 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L57 | 3 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| | | EAST Scarc | • | | | |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----|------|------------------|
| L58 | 5 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L59 | 8 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L60 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L61 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L62 | 13 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L63 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L64 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON . | 2008/01/07 12:39 |
| L65 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L66 | 3 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L67 | 277 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L68 | 29 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L69 | 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT | OR | OFF | 2008/01/07 12:39 |
| L70 | 1 | L69 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L71 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L72 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| | | | - | | | |
|-----|------|---------------------------------------------------------------------------------------------------------|--------------------|------|------|------------------|
| L73 | 158 | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L74 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L75 | 41 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L76 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L77 | . 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L78 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| Ŀ79 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L80 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON . | 2008/01/07 12:39 |
| L81 | 3 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L82 | 784 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L83 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | ÖR | ON | 2008/01/07 12:39 |
| L84 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L85 | 41 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2008/01/07 12:39 |
| L86 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT . | OR | ON | 2008/01/07 12:39 |
| L87 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON | 2008/01/07 12:39 |
| L88 | 13 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L89 | . 15 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR . | ON | 2008/01/07 12:39 |
| L90 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L91 | 358 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| | | - | - | , | · | |
|------|-----|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|----|-----|------------------|
| L92 | 254 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON | 2008/01/07 12:39 |
| L93 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2008/01/07 12:39 |
| L94 | 344 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L95 | 389 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L96 | 543 | 712/216.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L97 | 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L98 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2008/01/07 12:39 |
| L99 | 9 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L100 | 29 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L101 | 22 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L102 | 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L103 | 9 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L104 | 526 | "address trace" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L105 | 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L106 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2008/01/07 12:39 |
| L107 | 407 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L108 | 55 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L109 | 65 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L110 | 185 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L111 | 118 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| L112 | . 38 | (trace near3 (cache buffer)) with stor\$3 with address near4 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
|------|------|------------------------------------------------------------------------------------------------------------|--------------------|---------|-----|-------------------|
| | | instruction | USPAT | | | |
| L113 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L114 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L115 | . 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L116 | 60 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L117 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L118 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L119 | | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L120 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L121 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L122 | 129 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L123 | 18 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L124 | 70 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L125 | 451 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR · | ON | -2008/01/07 12:39 |
| L126 | 35 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L127 | -2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L128 | 3 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L129 | 5 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| | | EAST Searc | | | | |
|------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----|-----|------------------|
| L130 | 8 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L131 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L132 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L133 | 13 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L134 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L135 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L136 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L137 | 277 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L138 | 29 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L139 | 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT | OR | OFF | 2008/01/07 12:39 |
| L140 | 1 | L139 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L141 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L142 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L143 | 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L144 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L145 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| L146 | 9 | "live-in" same "live-out" same trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
|------|-----|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-----|-----|------------------|
| L147 | 1 | broadcast\$3 with live-out | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L148 | 1 | (inactive idle) with dependen\$4 with descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L149 | 416 | (inactive idle) with descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L150 | 25 | (inactive idle) with descriptor | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L151 | 0 | "live-in" same "live-out" same trace | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L152 | 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L153 | 65 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L154 | 407 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L155 | 185 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L156 | 118 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L157 | 41 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2008/01/07 12:39 |
| L158 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2008/01/07 12:39 |
| L159 | 38 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07.12:39 |
| L160 | 22 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L161 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L162 | 0, | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2008/01/07 12:39 |
| L163 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |

1/7/08 12:56:49 PM C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 9

| | | | | | · | |
|------|-----|------------------------------------------------------------------------------------------------------------|--------------------|------|-----|------------------|
| L164 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR . | ON | 2008/01/07 12:39 |
| L165 | 60 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L166 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L167 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:39 |
| L168 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
| L169 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L170 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L171 | 129 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L172 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L173 | 18 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L174 | 70 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L175 | 41 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L176 | 29 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L177 | 451 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L178 | 35 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR . | ON | 2008/01/07 12:39 |
| L179 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L180 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L181 | 3 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |

| L182 | 5 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
|------|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------|-----|------------------|
| L183 | 8 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L184 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L185 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L186 | . 13 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR . | ON | 2008/01/07 12:39 |
| L187 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L188 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L189 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L190 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L191 | 3 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L192 | 526 | "address trace" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L193 | 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L194 | 277 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L195 | 29 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L196 | . 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT | OR · | OFF | 2008/01/07 12:39 |

| L197 | 1 | L196 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:39 |
|------|------|---------------------------------------------------------------------------------------------------------|--------------------|------|-----|------------------|
| L198 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L199 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L200 | 158 | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L201 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L202 | . 55 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L203 | 41 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:39 |
| L204 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L205 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L206 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L207 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L208 | 543 | 712/216.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L209 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L210 | 3 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR · | ON | 2008/01/07 12:40 |
| L211 | 784 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L212 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L213 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L214 | 41 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2008/01/07 12:40 |
| L215 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR | ON | 2008/01/07 12:40 |

1/7/08 12:56:49 PM C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 12

| | | | | , | , | |
|------|------|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|----|------|------------------|
| L216 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON | 2008/01/07 12:40 |
| L217 | 13 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L218 | 15 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L219 | 358 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L220 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L221 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2008/01/07 12:40 |
| L222 | 254 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON | 2008/01/07 12:40 |
| L223 | 344 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L224 | 389 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L225 | 9 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L226 | 543 | 712/216.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:54 |
| L227 | 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L228 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2008/01/07 12:40 |
| L229 | 9 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L230 | . 29 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L231 | 22 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L232 | · 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L233 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L234 | 254 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON . | 2008/01/07 12:40 |
| L235 | 526 | "address trace" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |

| L236 | 9 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
|------|-----|---------------------------------------------------------------------------------------------------------|--------------------|-----|-----|------------------|
| L237 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2008/01/07 12:40 |
| L238 | 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L239 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2008/01/07 12:40 |
| L240 | 407 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L241 | 55 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L242 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L243 | 65 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L244 | 185 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L245 | 118 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L246 | 38 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L247 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2008/01/07 12:40 |
| L248 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L249 | 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2008/01/07 12:40 |
| L250 | 60 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L251 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2008/01/07 12:40 |
| L252 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:40 |
| L253 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L254 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2008/01/07 12:40 |
| L255 | 129 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L256 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |

| L257 | 70 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
|------|-----|--------------------------------------------------------------------------------------------------------------|--------------------|------|----|--------------------|
| L258 | 18 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L259 | 451 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L260 | 35 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 - |
| L261 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L262 | 3 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L263 | 5 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L264 | 8 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L265 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L266 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L267 | 13 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR . | ON | 2008/01/07 12:40 |
| L268 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L269 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L270 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L271 | 277 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |

1/7/08 12:56:49 PM C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 15

| | | | • | | | |
|------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|----|-----|------------------|
| L272 | 29 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L273 | | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT | OR | OFF | 2008/01/07 12:40 |
| L274 | 1 | L273 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L275 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L276 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L277 | 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L278 | . 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L279 | 68 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L280 | . 9 | "live-in" same "live-out" same trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L281 | 1 | broadcast\$3 with live-out | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L282 | 1 | (inactive idle) with dependen\$4 with descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L283 | 416 | (inactive idle) with descriptor | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L284 | 25 | (inactive idle) with descriptor | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON- | 2008/01/07 12:40 |
| L285 | 0 | "live-in" same "live-out" same trace | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/07 12:40 |
| L286 | 784 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L287 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |

| L288 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
|------|-----|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|----|-----|------------------|
| L289 | 389 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L290 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L291 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L292 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2008/01/07 12:40 |
| L293 | 15 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L294 | 358 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L295 | 13 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L296 | 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L297 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L298 | 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L299 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR | ON | 2008/01/07 12:40 |
| L300 | 9 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L301 | 344 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2008/01/07 12:40 |
| L302 | 158 | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2008/01/07 12:40 |
| L303 | 0 | (trace same dependenc\$3 same window same issu\$3).clm. | US-PGPUB | OR | OFF | 2008/01/07 12:54 |
| S1 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2005/02/23 14:04 |
| S2 | 12 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2004/07/29 15:16 |
| S3 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2004/07/29 15:00 |
| S4 | 5 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2005/02/22 09:26 |

| | | | | , | , | |
|-----|------------------|---------------------------------------------------------------------------------------------------------|--------------------|----|----|------------------|
| S5 | 6 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2004/08/02 14:04 |
| S6 | 406 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2004/08/02 12:57 |
| S7 | 176 [.] | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2004/08/02 12:57 |
| S8 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2004/08/02 13:10 |
| S9 | 2 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2004/08/02 13:19 |
| S10 | 7 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2004/08/02 13:20 |
| S11 | 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2004/08/02 13:24 |
| S12 | 3 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2004/08/02 13:24 |
| S13 | 80 | ("live-in' "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2004/08/02 14:05 |
| S14 | 20 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2004/08/02 14:05 |
| S15 | 1 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2004/08/03 10:39 |
| S16 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2004/08/03 13:44 |
| S17 | . 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2004/08/03 11:03 |
| S18 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2004/08/03 11:04 |
| S19 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2004/08/03 11:04 |
| S20 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2004/08/03 11:05 |
| S21 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2004/08/03 13:48 |
| S22 | 35 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2004/08/03 13:58 |
| S23 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON | 2004/08/03 14:35 |

1/7/08 12:56:49 PM C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 18

| S24 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR | ON | 2004/08/03 14:37 |
|-----|-------|---------------------------------------------------------------------------------------|--------------------|------|------|------------------|
| S25 | 240 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON | 2004/08/03 14:39 |
| S26 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2004/08/03 14:39 |
| S27 | . 4 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2004/08/03 14:39 |
| S28 | 243 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/08/03 14:59 |
| S29 | · 233 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/08/03 14:59 |
| S30 | 413 | 712/216.ccls. | US-PGPUB; USPAT | OR | OFF | 2004/08/03 15:00 |
| S31 | 18 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2005/02/22 09:27 |
| S32 | 15 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/02/22 09:27 |
| S33 | - 5 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2005/02/22 09:32 |
| S34 | 6 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2005/02/23 09:27 |
| S35 | 337 | "address trace" | US-PGPUB; USPAT | OR | ON | 2005/02/23 09:28 |
| S36 | 250 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/02/23 09:28 |
| S37 | 35 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/02/23 09:35 |
| S38 | 44 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/02/23 10:49 |
| 539 | 112 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR . | ON | 2005/02/23 10:50 |
| S40 | 69 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2005/02/23 10:50 |
| S41 | 24 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON . | 2005/02/23 13:40 |
| S42 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2005/02/23 13:42 |
| S43 | 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2005/02/23 13:42 |
| S44 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2005/02/23 13:44 |

| | | | - | | | |
|-------|-----|--------------------------------------------------------------------------------------------------------------|--------------------|------|------|------------------|
| S45 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2005/02/23 13:44 |
| S46 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2005/02/23 13:48 |
| S47 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2005/02/23 14:04 |
| S48 | 17 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2005/02/23 16:02 |
| S49 | 47 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2005/08/11 13:53 |
| S50 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2005/08/11 13:53 |
| S51 | 100 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2005/08/11 13:54 |
| S52 · | 52 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/08/11 14:50 |
| S53 | 16 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:11 |
| S54 | 362 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:11 |
| S55 | 30 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:14 |
| S56 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:30 |
| S57 | 2 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:31 |
| S58 | 4 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:31 |
| S59 | 7 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR . | ON · | 2005/12/16 16:34 |
| S60 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:35 |
| S61 | 3 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/16 16:36 |

| S62 | 10 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/19 08:30 |
|-----|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------|-----|------------------|
| S63 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/19 08:22 |
| S64 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR . | ON | 2005/12/19 08:22 |
| S65 | 195 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/19 08:32 |
| S66 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/19 08:31 |
| S67 | 2 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/19 08:31 |
| S68 | 22 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2005/12/19 08:32 |
| S69 | 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT . | OR | OFF | 2005/12/19 09:27 |
| S70 | 1 | S69 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2005/12/19 09:57 |
| S71 | 35 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2006/05/17 16:34 |
| S72 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2006/05/17 16:35 |
| S73 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S74 | 41 | huisman.xa. | US-PGPUB; USPAT | OŖ | ON | 2006/09/19 14:10 |
| S75 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2006/09/19 14:10 |
| S76 | 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S77 | 12 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |

| | | | | | , | |
|-----|-----|---------------------------------------------------------------------------------------------------------|--------------------|----|------|------------------|
| S78 | 623 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON . | 2006/09/19 14:10 |
| S79 | 280 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S80 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S81 | 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S82 | 12 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S83 | 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S84 | 6 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S85 | 136 | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S86 | 36 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S87 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S88 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S89 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S90 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S91 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S92 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S93 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S94 | 40 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2006/09/19 14:10 |
| S95 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON | 2006/09/19 14:10 |
| S96 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR | ON | 2006/09/19 14:10 |

| S97 | 251 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON | 2006/09/19 14:10 |
|----------|-----|---------------------------------------------------------------------------------------|--------------------|-----|------|------------------|
| S98 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2006/09/19 14:10 |
| S99 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2006/09/19 14:10 |
| S10 0 | 309 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/09/19 14:10 |
| S10 1 | 322 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/09/19 14:10 |
| S10 2 | 496 | 712/216.ccls. | US-PGPUB; USPAT | OR | OFF | 2006/09/19 14:10 |
| S10 3 | 24 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S10 4 | 19 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S10 5 | 8 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2006/09/19 14:10 |
| S10 6 | 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S10 7 | 434 | "address trace" | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S10 8 | 331 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S10 9 | 48 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S11 0 | 55 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S11 1 | 152 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S11 2 | 91 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S11 3 | 34 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON . | 2006/09/19 14:10 |
| S11 4 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2006/09/19 14:10 |
| S11 5 | 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2006/09/19 14:10 |
| S11 6 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2006/09/19 14:10 |

1/7/08 12:56:49 PM C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 23

| S11 7 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2006/09/19 14:10 |
|----------|-----|--------------------------------------------------------------------------------------------------------------|--------------------|-----|---------|------------------|
| S11 8 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2006/09/19 14:10 |
| S11 9 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 0 | 41 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2006/09/19 14:10 |
| S12 1 | 53 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 2 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 3 | 112 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 4 | 61 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 5 | 16 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 6 | 397 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON : | 2006/09/19 14:10 |
| S12 7 | 31 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 8 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S12 9 | 2 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 0 | 4 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 1 | 7 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 2 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 3 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| L | | .6 | 1 | L | l | l |

| S13 4 | 12 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
|----------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|----|------|------------------|
| S13 5 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 6 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 7 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S13 8 | | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON . | 2006/09/19 14:10 |
| S13 9 | 226 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S14 0 | 26 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S14 · 1 | 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT . | OR | OFF | 2006/09/19 14:10 |
| S14 2 | 1 | S141 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2006/09/19 14:10 |
| S14 3 | 41 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S14 4 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2006/09/19 14:10 |
| S14 5 | 56 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2007/05/29 17:36 |
| S14 6 | 8 | "live-in" same "live-out" same trace | US-PGPUB; USPAT | OR | ON | 2007/05/30 17:00 |
| S14 7 | 1 | broadcast\$3 with live-out | US-PGPUB; USPAT | OR | ON | 2007/05/30 16:45 |
| S14 8 | 382 | (inactive idle) with descriptor | US-PGPUB; USPAT | OR | ON | 2007/05/30 17:00 |
| S14 9 | 1 | (inactive idle) with dependen\$4 with descriptor | US-PGPUB; USPAT | OR | ON | 2007/05/30 16:45 |

| | | | | 1 | <u> </u> | |
|----------|-----|--------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|----|----------|------------------|
| S15 0 | 23 | (inactive idle) with descriptor | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON . | 2007/05/30 17:00 |
| S15 1 | 0 | "live-in" same "live-out" same trace | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/05/30 17:00 |
| S15 2 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S15 3 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S15 4 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2007/10/12 15:31 |
| S15 5 | 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S15 6 | 15 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S15 7 | 755 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S15 8 | 337 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S15 9 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 0 | 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 1 | 13 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 2 | . 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 3 | 9 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 4 | 158 | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 5 | 41 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 6 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S16 7 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |

1/7/08 12:56:49 PM C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 26

| S16 8 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
|----------|-----|---------------------------------------------------------------------------------------------------------|--------------------|------|-----|------------------|
| S16 9 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S17 0 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S17 1 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S17 2 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S17 3 | 41 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2007/10/12 15:31 |
| S17 4 | . 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON | 2007/10/12 15:31 |
| S17 5 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR | ON | 2007/10/12 15:31 |
| S17 6 | 254 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR · | ON | 2007/10/12 15:31 |
| S17 7 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2007/10/12 15:31 |
| S17 8 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2007/10/12 15:31 |
| S17 9 | 339 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S18 0 | 372 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S18 1 | 530 | 712/216.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S18 2 | 29 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S18 3 | 22 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S18 4 | 9 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S18 5 | . 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S18 6 | 516 | "address trace" | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |

| | | | _ | , | | |
|----------|-----|-------------------------------------------------------------------------------------------|--------------------|--------------|-----|------------------|
| S18 7 | 398 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S18 8 | 55 | "address trace" with (branch block) and g06f\$.ipc.´ | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S18 9 | 65 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S19 0 | 180 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S19 1 | 113 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S19 2 | 38 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S19 3 | 1 | ("address trace compressor").ti. | IBM_TDB | OR . | ON | 2007/10/12 15:31 |
| S19 4 | 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2007/10/12 15:31 |
| S19 5 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND . | ON | 2007/10/12 15:31 |
| S19 6 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2007/10/12 15:31 |
| S19 7 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2007/10/12 15:31 |
| S19 8 | 1 | "5732255".pn. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S19 9 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S20 0 | 60 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 1 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 2 | 128 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 3 | 70 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 4 | 17 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 5 | 446 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 6 | 34 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |

| | | | , | | | · |
|-----------|-----|-----------------------------------------------------------------------------------------------------------------------|--------------------|----|------|------------------|
| S20 7 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S20 8 | 3 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| \$20 9 | 5 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 0 | 8 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 1 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 2 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 3 | 13 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 4 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 5 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 6 | 0 | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 7 | 3 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S21 8 | 269 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON . | 2007/10/12 15:31 |
| S21 9 | 28 | trace with entry with (target start\$3) near2 address and g06f\$. | US-PGPUB; USPAT | OR | ON- | 2007/10/12 15:31 |

1/7/08 12:56:49 PM
C:\Documents and Settings\DHuisman\My Documents\EAST\Workspaces\10-037666.wsp Page 29

| | | | | | | • |
|-----------|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|------|-----|------------------|
| S22 0 | 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT . | OR | OFF | 2007/10/12 15:31 |
| S22 1 | 1 | S220 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S22 2 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S22 3 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S22 4 | 158 | ("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S22 5 | 1 | (map mapp\$3) near5 ("live-in" near5 "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S22 6 | 41 | (("live-in" "live-out" "live in" "live out" "live into") and g06f\$.ipc.) and trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S22 7 | 3 | mispredict\$3 with recover\$3 with state with register with speculative | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S22 8 | 3 | "speculative register file" with recover\$3 | US-PGPUB; USPAT | OR . | ON | 2007/10/12 15:31 |
| S22 9 | 6 | speculative near3 register with architectural with recover\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S23 0 | 0 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") near3 execut\$3 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S23 1 | 1 | fetch\$3 near3 instruction near3 ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR· | ON | 2007/10/12 15:31 |
| S23 2 | 3 | trace with (target start\$3) near2 address same (dependenc\$3 hazard) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S23 | 755 | trace near3 (description tag) | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| .S23 4 | 2 | fetch\$3 with instruction with ("just-in-time" "JIT" "just in time") with (issu\$3 execut\$3) | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S23 5 | 2 | mispredict\$3 with architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S23 6 | 41 | architectural with (copy\$3 copie\$1 written writ\$3) with speculative with register | USPAT | OR | ON | 2007/10/12 15:31 |

| | | | , | | | |
|-----------------------|-----|--------------------------------------------------------------------------------------------------------------------------------------|--------------------|------|------|------------------|
| S23 7 | 8 | (restor\$3 recover\$3) with architectural with "reorder buffer" | USPAT | OR | ON | 2007/10/12 15:31 |
| S23 8 | 6 | restor\$3 with register with misprediction with (copy\$3 copie\$1) | USPAT | OR | ON | 2007/10/12 15:31 |
| S23 9 | 13 | (instruction tag) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S24 0 | 15 | ("live-in" and "live-out") and trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S24 1 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S24 2 | 337 | trace near3 (description tag) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S24 3 | 254 | (restor\$3 recover\$3) with misprediction with "reorder buffer" | USPAT | OR | ON | 2007/10/12 15:31 |
| S24 4 | 10 | ("5148536" "5560028" "5765017" "5918033" "5958042" "6065105" "6219781" "6237077" "6260189" "6378063").PN. | USPAT | OR | OFF | 2007/10/12 15:31 |
| S24 5 | 339 | 712/205.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S24 6 | 372 | 712/214.ccls. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S24 7 | 530 | 712/216.ccls. | US-PGPUB; USPAT | OR · | OFF | 2007/10/12 15:31 |
| S24 8 | 3 | (tag descriptor) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S24 9 | 0 | (restor\$3 recover\$3) with misprediction with shadow near3 (register set file) | USPAT | OR | ON | 2007/10/12 15:31 |
| S25 0 | 9 | (trace) same ("live-in" same "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S25 1 | 29 | (location address) with (dependenc\$3 hazard) with trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S25 2 | 22 | (location address) with (dependenc\$3 hazard) with trace and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S25 3 | 5 | (map mapp\$3) with ("live-in" with "live-out") | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S25 4 | 9 | descriptor with trace with (location address) | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| ⁻ S25 5 | 516 | "address trace" | US-PGPUB; USPAT | OR | ON . | 2007/10/12 15:31 |
| S25 6 | 7 | trace with "basic block" with address\$2 with branch | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |

| | | | | T | 1 | |
|----------|-----|--------------------------------------------------------------------------------------------|----------------------|-----|-----|------------------|
| S25 7 | 5 | (restor\$3 recover\$3) with mispredict\$3 with shadow with (register set file) | USPAT | OR | ON | 2007/10/12 15:31 |
| S25 8 | 398 | "address trace" and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S25 9 | 55 | "address trace" with (branch block) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S26 0 | 65 | trace with descriptor and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S26 1 | 180 | (trace near3 (cache buffer)) with address with instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S26 2 | 113 | (trace near3 (cache buffer)) with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S26 3 | 38 | (trace near3 (cache buffer)) with stor\$3 with address near4 instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S26 4 | 1 | ("address trace compressor").ti. | IBM_TDB | OR | ON | 2007/10/12 15:31 |
| S26 5 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S26 6 | 0 | ("Trace mechanism with Hang or loop detection").ti. | IBM_TDB | OR | ON | 2007/10/12 15:31 |
| S26 7 | 60 | (trace dependen\$4) adj1 descriptor | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S26 8 | 1 | (Trace mechanism with Hang loop detection).ti. | IBM_TDB | AND | ON | 2007/10/12 15:31 |
| S26 9 | 1 | "5732255".pn. | US-PGPUB; USPAT . | OR | ON | 2007/10/12 15:31 |
| S27 0 | 0 | (Automatic loop detector Eliminator).ti. | IBM_TDB | AND | ON | 2007/10/12 15:31 |
| S27 1 | 1 | (Automatic loop detector/Eliminator).ti. | IBM_TDB | AND | ON | 2007/10/12 15:31 |
| S27 2 | 3 | (trace dependen\$4) adj1 descriptor same instruction | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S27 3 | 128 | trace with (address location) with dependen\$4 | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S27 4 | 17 | entry with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S27 5 | 70 | trace with (address location) with dependen\$4 and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S27 6 | 446 | (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |

| S27 7 | 34 | line with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR . | ON | 2007/10/12 15:31 |
|----------|-----|--------------------------------------------------------------------------------------------------------------|--------------------|------|----|------------------|
| S27 8 | 2 | descriptor with (dependency hazard) near4 (data information) with address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S27 9 | 3 | (dependency hazard) near4 (data information) with address near6 sequence near3 instruction and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 0 | 5 | (dependency hazard) near4 (data information) with address near6 block near3 instruction and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 1 | 8 | entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR . | ON | 2007/10/12 15:31 |
| S28 2 | 1 | branch same entry with (dependenc\$3 hazard) with target near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 3 | 4 | (history branch) same entry with (dependenc\$3 hazard) with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 4 | 13 | (history branch) same entry same (dependenc\$3 hazard) same (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 5 | 4 | (history branch) same entry same live near2 (out in) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 6 | 0 | entry same live near2 (out in) same (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 7 | | trace with (target start\$3) near2 address same live near2 (in out) and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 8 | 269 | trace with (target start\$3) near2 address and g06f\$.ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S28 9 | 28 | trace with entry with (target start\$3) near2 address and g06f\$. ipc. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |

| 636 | | (115, 4000450 + 115, 555755) | LICOAT | 0.0 | 055 | 2007/10/20 15 5: |
|-----------|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|------|-----|------------------|
| S29 0 | 15 | (US-4809168-\$ or US-5557761-\$ or US-5699537-\$ or US-5732255-\$ or US-5870597-\$ or US-6018798-\$ or US-6260189-\$ or US-6304962-\$ or US-6347383-\$ or US-6427204-\$ or US-6633970-\$ or US-6014742-\$ or US-6233678-\$ or US-6247097-\$ or US-6351844-\$).did. | USPAT | OR | OFF | 2007/10/12 15:31 |
| S29 1 | 1 | S290 and live near2 (in out) | US-PGPUB; USPAT | OR | OFF | 2007/10/12 15:31 |
| S29 2 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S29 3 | 2 | ("20020144098" "20020144101"). pn. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S29 4 | 7 | "trace descriptor" | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S29 5 | 1 | "5699537".pn. | US-PGPUB; USPAT | OR . | ON | 2007/10/12 15:31 |
| S29 6 | 65 | huisman.xa. | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| 529 7 | 9 | "live-in" same "live-out" same trace | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S29 8 | 1 | broadcast\$3 with live-out | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S29 9 | 1 | (inactive idle) with dependen\$4 with descriptor | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| S30 0 | 404 | (inactive idle) with descriptor | US-PGPUB; USPAT | OR | ON | 2007/10/12 15:31 |
| \$30 1 | 24 | (inactive idle) with descriptor | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 15:31 |
| S30 2 | 0 | "live-in" same "live-out" same trace | USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/10/12 15:31 |